

Package hvfloat Controlling captions, fullpage and doublepage floats ver 2.55a



Herbert Voß*

December 9, 2025

The package hvfloat defines a macro to place objects and captions of floats in different positions with different rotating angles.

All objects and captions are framed on the first pages, which is only for some demonstration here and has no additional sense!

To compare the place of the definition of the floating objects in the source and the output a marginnote `\float` is set into the margin. This is done also only for demonstration!



*hvoss@tug.org

Thanks to Karl Berry, Frank Mittelbach, Rolf Niepraschk, Benedikt Wilde

Contents

1	The package options	7
2	The Macros and optional arguments	7
3	The default use of floating environments	9
4	Caption width	10
4.1	Default – natural width	10
4.2	Relative linewidth	12
4.3	Identical object and caption width	12
4.4	caption width to height of the object	13
5	Caption left or right of the object	13
5.1	Caption right with specific length	13
5.2	Caption left and rotated	14
6	Caption inner or outer	15
7	Vertical Position of the Caption	17
8	Caption format	18
9	Horizontal Position of the Float	18
10	Wide floats	20
11	Margin floats	23
12	The star version <code>\hvFloat*</code>	23
13	Full Page Width in Landscape Mode	23
14	The <code>nonFloat</code> Option	27
15	Tabulars as Objects	28
16	Text and objects	28
17	Environment <code>hvFloatEnv</code>	29
18	Full page objects in onecolumn mode	30
18.1	Using the <code>textarea</code>	31
18.1.1	Using the default or <code>capPos=before</code>	31
18.1.2	Using <code>capPos=after</code>	33
18.1.3	Using <code>capPos=evenPage</code> — caption on an even page	34
18.1.4	Using <code>capPos=oddPage</code> — caption on an odd page	35
18.1.5	Using <code>capPos=inner</code> or <code>capPos=outer</code> — caption on the inner or outer side	35
18.2	Using the paper size	36
18.3	Multifloats	38
19	Subfloat page	40

20 Full page objects in twocolumn mode	42
20.1 Default setting	42
20.1.1 Using capPos=after	43
20.1.2 Using capPos=evenPage — caption on an even page	45
20.1.3 Using capPos=oddPage — caption on an odd page	46
20.1.4 Using capPos=inner — caption in the inner column	47
20.1.5 Using capPos=outer — caption on the outer column	48
20.2 Using full page in twocolumn mode	49
20.3 Multifloats	50
21 Subfloat page	51
22 Doublepage objects – images and/or tabulars	54
22.1 doubleFULLPAGE	54
22.2 doublePAGE	76
22.3 doublePage	80
22.4 doubleFullPage	92
22.5 Tabulars	102
23 References to the page	107
24 Defining a style	107
25 Global float setting	108
Index	113

List of Tables

1	The Caption without sense ...	7
2	The optional keywords for the macro <code>\hvFloat</code> ...	8
3	With the only Option <code>capPos=top</code> to place the caption on top of the table, which is often the default. ...	10
4	23
5	Demonstration of the <code>use0Box</code> Parameter ...	28
6	Demonstration of the <code>use0Box</code> Parameter ...	28
7	A caption for a nice table ...	29
8	A caption for a nice table ...	30
9	Valid optional arguments for a full page object. ...	31
10	A doublepage tabular with a caption on the right side of the right part. ...	105

List of Figures

1	<u>What a nice Caption :-)</u> ...	1
2	Without any keywords (only the <code>fbox</code> package option) ...	9
3	Default caption width setting, which is the natural width with respect to the current linewidth. ...	11
4	Caption right beside with a <i>natural</i> width, which is given by the width of the object, the separation between object and caption, and the current linewidth. .	11
5	Caption right beside with a <i>natural</i> width, which is given by the width of the object, the separation between object and caption, and the current linewidth. .	11
6	Caption below with a width of 0.9 of the current line width (column width), which is in this special case 376.42744pt. Divide it by 28.82 to get cm.	12
7	Caption right beside with a width setting of $0.9\linewidth$ which is too big for this example and therefore corrected by the macro to the maximal width. . . .	12
8	Caption below with a width of the given object which may be a problem if it is a very small object.	13
9	Caption beside with a width of the given object height which may be a problem if it is a very small object.	13
10	Caption beside object and vertically centered	14
11	Centered Caption beside Object	14
12	Caption vertically centered right beside the float with a caption width of the height of the image and a rotation of the caption and the object.	15
13	Centered Caption on the inner side	15
14	Centered Caption on the inner side	16
15	Centered Caption beside Object	16
16	Centered Caption beside Object	17
17	Caption at bottom right beside the float	17
18	Caption at top left beside the float	18
19	Caption centered right beside the float	18

20	Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.	18
21	Caption at top right beside the float and object position left	19
22	Caption at top right beside the float and object position left	19
23	Caption at top left beside the float and object position right	20
24	Caption at top right beside the float and object position left and the option wide.	20
25	Caption at top left beside the object and object position left and the option wide.	21
26	Caption at top and inner beside the float and object position right and the option wide.	21
27	Caption at top inner beside the float and object position right and the option wide.	22
28	Caption at top inner beside the float and object position right and the option wide.	22
29	Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.	22
30	23
31	Output of default1s2c (pages 2 –5)	24
32	Object and Caption in landscape mode	25
33	Rotated Caption in Landscape	26
34	Nonfloat Captions	27
35	Output of fullpage1s2c (pages 1–8)	30
36	Output of default1s1c (pages 2–9)	32
37	Output of after1s1c (pages 2–9)	33
38	Output of even1s1c (pages 2–9)	34
39	Output of odd1s1c (pages 2–9)	35
40	Output of paper-default1s1c (pages 2–9)	36
41	Output of paper-after1s1c (pages 2–9)	37
42	Output of multi-default1s1c (pages 4–11)	39
43	Output of multi-after1s1c (pages 4–11)	39
44	Output of sub-default1s1c (pages 4–11)	41
45	Output of sub-after1s1c (pages 4–11)	41
46	Output of default2s2c (pages 2–9)	42
47	Output of left2s2c (pages 2–9)	43
48	Output of after2s2c (pages 2–9)	44
49	Output of right2s2c (pages 2–9)	44
50	Output of even2s2c (pages 2–9)	45
51	Output of odd2s2c (pages 2–9)	46
52	Output of inner2s2c (pages 2–9)	47
53	Output of outer2s2c (pages 2–9)	48

List of Figures

54	Output of paper-default2s2c (pages 2–9)	49
55	Output of paper-inner2s2c (pages 2–9)	50
56	Output of multi-default2s2c (pages 2–9)	51
57	Output of multi-inner2s2c (pages 2–9)	52
58	Output of sub-default2s2c (pages 2–9)	53
59	Output of sub-after2s2c (pages 2–9)	53
61	A doublepage image with a caption on the image.	56
62	A doublepage image with a caption on the image.	62
64	A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE	65
65	A caption for a double-sided image that will be placed after the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE	71
66	A caption for a double-sided image that will be placed before the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE	73
67	A doublepage image with a caption below the right part.	79
68	A doublepage image with a caption on the right side of the right part.	83
69	A doublepage image with a caption on the right side of the right part.	87
70	A doublepage image with a caption on the right side of the right part.	91
71	A doublepage image with a caption on the left side.	93
72	A doublepage image with a caption on the right side of the right part.	99
73	Caption at bottom right beside the float with a caption width of $0.5\backslash\text{columnwidth}$	108
74	A float which needs the complete paper width and height.	109

1 The package options

- `fbox` The objects and captions are put into a `\fbox` command, like in this documentation. This doesn't make real sense and is only for some demonstration useful or for locating problems if images seems to have too much whitespace.
- `hyperref` Load package `hyperref`.
- `nostfloats` do not load package `stfloats`.

The length `\belowcaptionskip` is set by \LaTeX to 0pt and changed in `hvfloat` to the same value than `\abovecaptionskip`. This length can be changed to another value in the usual way with `\setlength` or `\addtolength`.

The following packages are loaded by `hvfloat`:

`fbox`, `caption`, `subcaption`, `atbegshi`, `stfloats`, `floatpag`, `expl3`, `multido`, `graphicx`, `xkeyval`, `ifoddpaper`, and `afterpage`.

The optional argument `hypcap=false` is passed to the packages `caption` and `subcaption` and can be overwritten by using the optional argument `capFormat` or `subcapFormat`.

```
\capFormat={hypcap=true,...}
\subcapFormat={hypcap=true,...}
```

2 The Macros and optional arguments

The syntax for the macros and `\hvFloatSetDefaults`, `\hvFloatSet`, and `\hvFloat` is

```
\hvFloatSet{key=value list}
\hvFloatSetDefaults
\hvFloat* [Options] + {float type}{floating object}[short caption]{long caption}{label}
```

The star version is explained in section 12 on page 23 and 20.2 on page 49 and the optional `+` is explained in section 18.3 on page 38.

`\hvFloatSet` allows the global setting of keywords and `\hvFloatSetDefaults` sets all keywords to its default value as shown in Table 2 on the next page.

If `\hvFloat` has an empty second parameter `<float type>`, then `\hvFloat` switches by default to a nonfloat (see table 2) object, which is not important for the user. All other parameters may also be empty and the short caption as second optional parameter missing. This one is as usual the caption for the `\listoffigures`.

There are some more macros defined, more or less for internally use in `hvfloat`, but they can be used for own purposes.

```
\figcaption[short caption text]{caption text}
\tabcaption[short caption text]{caption text}
\tabcaptionbelow[short caption text]{caption text}
```

They are used for the `nonFloat` keyword, where these macros write captions in the same way but outside of a float environment. The default caption cannot be used here. It is no problem to use the `\tabcaption` command to place a caption anywhere, like here in an inlined mode:

Table 1: A Caption without any sense and any object

A label can be put inside the argument or after the command in the usual way, so that a reference to the not existing table 2 is no problem.

2 The Macros and optional arguments

[...] It is no problem to use the `\verb|\tabcaption|` command to place a caption anywhere, like here in an inlined mode:
`\tabcaption[The Caption without sense ...]%`
`{A Caption without any sense and any`
`object}\label{dummy}` A label can be put inside the argument or after the command in the usual way, so that a reference to the not existing `table-\ref{dummy}` is no problem.

With the macro `\hvDefFloatStyle` one can define a style which can be used instead of the individual setting:

```
\hvDefFloatStyle{name}{setting}
```

Internally the style is saved in a macro named `\hv@<name>`.

There are the following keywords:

Table 2: The optional keywords for the macro `\hvFloat`

<i>Keyword</i>	<i>Default</i>	<i>Description</i>
<code>floatPos</code>	<code>tbp</code>	This is the same default placement setting as in standard \LaTeX ; maybe not always the best setting.
<code>rotAngle</code>	<code>0</code>	The value for the angle if both the object and the caption should be rotated together.
<code>capWidth</code>	<code>n</code>	The width of the caption. Can be <code>n</code> for a natural width given by the current linewidth, <code>w</code> for the width of the object, <code>h</code> for the height of the object, or a scale factor for <code>\columnwidth</code> .
<code>capAngle</code>	<code>0</code>	The integer value for the angle if the caption should be rotated. Positive is counter-clockwise.
<code>capPos</code>	<code>bottom</code>	The position of the caption relative to the object. Possible values: before: <i>always</i> before (left) from the object. top: <i>always</i> on top of the object. left: <i>always</i> before (left) from the object, but on the same page in twocolumn mode. after: <i>always</i> after (right) from the object. bottom: <i>always</i> on the bottom of the object. right: <i>always</i> after (right) from the object, but on the same page in twocolumn mode. inner: in twoside mode always typeset at the inner margin. outer: in twoside mode always typeset at the outer margin. evenPage: in twoside mode with fullpage objects always on an even page. oddPage: in twoside mode with fullpage objects always on an odd page.
<code>capVPos</code>	<code>center</code>	Only used when <code>capPos=left right</code> ; in these cases, the caption can be vertically placed at the bottom, center or top.
<code>objectPos</code>	<code>center</code>	Horizontal placement of the object relative to the document. Possible values are (l) eft, (c) enter, (r) ight.
<code>objectAngle</code>	<code>0</code>	Integer value for the angle if the object should be rotated. Positive is counter-clockwise.
<code>floatCapSep</code>	<code>5pt</code>	Additional space between the object and a left- or right-placed caption.
<code>useOBox</code>	<code>false</code>	Instead of passing the object as a parameter to <code>\hvFloat</code> , with <code>useOBox=true</code> the contents of the predefined box <code>\hvOBox</code> is used.
<code>onlyText</code>	<code>false</code>	The caption is printed as normal text with no entry in any list of ...

<i>Keyword</i>	<i>Default</i>	<i>Description</i>
nonFloat	false	The object isn't put in a floating environment, but printed as standard text with an additional caption. The float counter is increased as usual and can be referenced.
nonFloatTopSkip	2pt	Skip between text and object with caption below for nonFloat objects.
wide	false	The float can use <code>\textwidth + \marginparwidth</code> as horizontal width.
inMargin	false	Put object and frame into the margin.
objectFrame	false	Put a frame with no separation around the float object.
fboxLines	lrb	Lines around the box l)eft, t)op, r)ight, b)ottom
fboxSep	0pt	Additional box separation (like <code>\fboxsep</code>)
style	<i>none</i>	Use a defined style.
capFormat	<i>none</i>	Define formatting options for <code>\caption</code> ; see documentation of package <code>caption</code> .
subcapFormat	<i>none</i>	Define formatting options for <code>\subcaption</code> .
fullpage	false	Use a complete column in twocolumn mode.
FullPage	false	Use the full text area for the object.
FULLPAGE	false	Use the full paper width/height for the object.
doublePage	false	Use the text area on a doublepage with additional text.
doublePAGE	false	Use the text area on a doublepage without additional text.
doubleFullPage	false	Use the paperwidth on a doublepage with additional text.
doubleFULLPAGE	false	Use the paperwidth on a doublepage without additional text.
forceLeft	false	In some cases a doublepage float starts on an odd page. With <code>forceLeft</code> it uses only one <code>\afterpage</code> instead of two to force a start on an even page.
vFill	false	Put a <code>\vfill</code> between every two objects in a multi- or subfloat.
sameHeight	false	use the same text height on both pages for a doublePage object.

3 The default use of floating environments

In this case there is no essential difference to the well known figure or table environment, f.ex.:

```
\begin{figure}
... object ...
\caption{...}% caption below the object
\end{figure}
```



Fig. 2
oddpag
1col,

Figure 2: Without any keywords (only the `fbox` package option)

Code for figure 2:

```
1 \hvFloat{figure}{\includegraphics{images/rose}}{Without any keywords (only the \texttt{fbox}
package option)}{fig:0}
```

Tab. 3
evenpage
1col,

Table 3: With the only Option `capPos=top` to place the caption on top of the table, which is often the default.

Name	Type	Description
<code>\hvFloat</code>	command	places object and caption in different ways
<code>hvFloatEnv</code>	environment	places object and caption exactly Here
<code>\figcaption</code>	command	writes a figure caption in a non floating environment
<code>\tabcaption</code>	command	writes a table caption in a non floating environment
<code>\hvFloatSetDefaults</code>	command	sets all options to the defaults
<code>\hvDefFloatStyle</code>	command	define a user style

Code for table 3:

```

1 \savebox\hvOBox{%
2 \begin{tabularx}{\textwidth}{l|l|X}
3 \rmfamily Name & Type & Description\\\hline
4 \CMD{hvFloat} & command & places object and caption in different ways\\
5 \Lenv{hvFloatEnv} & environment & places object and caption exactly Here\\
6 \CMD{figcaption} & command & writes a figure caption in a non floating environment\\
7 \CMD{tabcaption} & command & writes a table caption in a non floating environment\\
8 \CMD{hvFloatSetDefaults} & command & sets all options to the defaults\\
9 \CMD{hvDefFloatStyle} & command & define a user style
10 \end{tabularx}}
11 \hvFloat[capPos=top,useOBox]{table}{}
12 {With the only Option \texttt{capPos=top} to place the caption on
13 top of the table, which is often the default.}
14 {tab:0}

```

See section 15 for some more informations about tabulars as objects.

4 Caption width

4.1 Default – natural width

The default setting is the natural width of a paragraph with respect to the current linewidth or columnwidth for a caption below or above an object. It behaves in the same way as a caption set by one of the default floating environments like figure or table:

```

1 \hvFloat[floatPos=!htb]{figure}{\includegraphics{images/rose}}%
2 {Default caption width setting, which is the natural width with respect to the current
   linewidth.}{fig:width0}

```

Fig. 3
evenpage
1col,

For the following examples the package option `fbox` is disabled. All frames are now set with the macro `\frame` or the optional keyword `objectFrame`.

For a caption beside an object, the *natural* caption width (without the optional argument `wide`) is given by the current linewidth minus the width of the object and the space between object and caption, which is set by `floatCapSep` (see Table 2 on page 8).

```

1 \hvFloat[floatPos=!htb, capPos=after, objectFrame]{figure}{\includegraphics[scale=1.5]{images/
   rose}}%
2 {Caption right beside with a \emph{natural} width, which is given by the width of the object,
3 the separation between object and caption, and the current linewidth.}{fig:width1}

```

Fig. 4
evenpage
1col,

The same with box lines only on the left and right:

```

1 \hvFloat[floatPos=!htb, capPos=after, objectFrame,
2 fboxLines=lr, fboxSep=0pt]{figure}{\includegraphics[scale=1.5]{images/rose}}%
3 {Caption right beside with a \emph{natural} width, which is given by the width of the object,
4 the separation between object and caption, and the current linewidth.}{fig:width1A}

```



Figure 3: Default caption width setting, which is the natural width with respect to the current linewidth.




Figure 4: Caption right beside with a *natural* width, which is given by the width of the object, the separation between object and caption, and the current linewidth.




Figure 5: Caption right beside with a *natural* width, which is given by the width of the object, the separation between object and caption, and the current linewidth.

Fig. 5
oddpag
1col,

4.2 Relative linewidth

With `capWidth=<number>` the caption width is set to `<number>\columnwidth`. For captions at the bottom or on top of objects the setting is not checked if `<number>` is greater than 1.

```
1 \hvFloat[floatPos=!htb,capWidth=0.9]{figure}{\includegraphics{images/rose}}%
2 {Caption below with a width of 0.9 of the current line width (column width), which is
3 in this special case \the\linewidth. Divide it by 28.82 to get cm.}{fig:width2}
```

Fig. 6
evenpage
1col,



Figure 6: Caption below with a width of 0.9 of the current line width (column width), which is in this special case 376.42744pt. Divide it by 28.82 to get cm.

If such a value like `0.9\linewidth` is used for a caption beside an object, then the macro does a test if the space beside the object is less equal the defined caption width. If not then the width is set to the possible value between object and margin:

```
1 \hvFloat[floatPos=!htb,
2 capPos=after,
3 capWidth=0.9]{figure}{\includegraphics[scale=1.5]{images/rose}}%
4 {Caption right beside with a width setting of \texttt{0.9\textbackslash linewidth}
5 which is too big for this example and therefore corrected
6 by the macro to the maximal width.}{fig:width3}
```

Fig. 7
evenpage
1col,



Figure 7: Caption right beside with a width setting of `0.9\linewidth` w for this example and therefore corrected by the macro to the maxima

4.3 Identical object and caption width

With `capWidth=w` the caption width is like the object width which makes only real sense if you have a lot of identical images with respect to its widths.


```

1 \hvFloat[floatPos=!htb,capWidth=w]{figure}{\includegraphics[width=0.5\linewidth]{images/CTAN}}%
2 {Caption below with a width of the given object which may be a problem
3 if it is a very small object.}{fig:width4}

```




Figure 8: Caption below with a width of the given object which may be a problem if it is a very small object.

4.4 caption width to height of the object

With `capWidth=h` the caption width is like the object height which makes only real sense if you want to put a rotated caption beside the object.

```

1 \hvFloat[floatPos=!htb,capPos=after,capWidth=h,capAngle=90,objectFrame]{figure}{\
  includegraphics{images/rose}}%
2 {Caption beside with a width of the given object height which may be a problem
3 if it is a very small object.}{fig:width5}

```




Figure 9: Caption beside with a width of the given object height which may be a problem if it is a very small object.

Fig. 9
oddpage
1col,

5 Caption left or right of the object

By default the caption is set on the left side of the object. If the caption and the object are set side by side, then the keyvalue before is identical to the setting `left`.

5.1 Caption right with specific length

Code for figure 10:

```

1 \hvFloat%
2 [floatPos=htb,
3 capPos=right,
4 objectFrame,
5 objectPos=c]{figure}{\includegraphics[scale=0.9]{images/rose}}%
6 [Caption beside object and vertically centered]%
7 {Caption vertically centered right beside the float with a natural caption width
8 (the default). \blindtext}%
9 {fig:1}

```

Fig. float
capPos=right
oddpage



Figure 10: Caption vertically centered right beside the float with a natural caption width (the default). Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

5.2 Caption left and rotated

Code for figure 11:

```

1 \hvFloat%
2 [floatPos=htb,
3   capPos=left,
4   capWidth=h,% of \columnwidth
5   capAngle=90,
6   objectFrame
7 ]{{figure}}{\includegraphics{images/rose}}}%
8 [Centered Caption beside Object]%
9 {Caption vertically centered left beside the float with a caption width
10  of \texttt{capWidth=h}, which is the height of the object.}{fig:2}

```

Fig. 11
evenpage
1col,

Figure 11: Caption vertically centered left beside the float with a caption width of `capWidth=h`, which is the height of the object.



It is no problem to rotate the object, too. But with a different angle value than for the caption. Do not ask for the sense, it is only a demonstration of what is possible ... The object (image) is rotated by -30 degrees with the macro `\rotatebox`. Without any definition the caption will be placed vertically centered to the object. Important for the height of the object is the surrounding orthogonal rectangle.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Code for figure 12:

```

1 \hvFloat[%

```

```

2   capWidth=h,
3   capPos=after,
4   capAngle=180,
5   objectAngle=90,
6   capVPos=center,
7   objectPos=center}{figure}{\frame{\includegraphics{images/rose}}}%
8   [Centered Caption beside Object]{%
9   {Caption vertically centered right beside the float with a caption width of the height
10  of the image and a rotation of the caption and the object.}{fig:3}

```



Figure 12: Caption vertically centered right beside the float with a caption width of the height of the image and a rotation of the caption and the object.

Fig. 12
oddpage
1col,

6 Caption inner or outer

Setting the caption position to *inner* or *outer* makes only sense for a document in twoside mode. For a oneside document *inner* is the same as *left* and *outer* is the same as *right*. We show only the code for the first image with the setting `capPos=inner`, whereas the second one chooses only `capPos=outer`.

Code for figure 13:

```

1 \hvFloat[capPos=inner]{figure}{\includegraphics{images/rose}}%
2   [Centered Caption on the inner side]{%
3   Caption set with the parameter setting \texttt{capPos=inner}, which will be
4   a caption on the right side for an even page and on the left side for
5   an odd page.}{fig:20}

```



Figure 13: Caption set with the parameter setting `capPos=inner`, which will be a caption on the right side for an even page and on the left side for an odd page.

Fig. 13
oddpage
1col,

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Now the same Image with `capPos=outer`. The current page number is 15, an odd page. We now set a pagebreak at the end of the second image to see if it works with *inner/outer*.

```

1 \hvFloat[capPos=outer]{figure}{\includegraphics{images/rose}}%
2   [Centered Caption on the inner side]{%
3     Caption set with the parameter setting \texttt{capPos=outer}, which will be
4     a caption on the right side for an even page and on the left side for
5     an odd page.}{fig:20b}

```


Fig. 14
evenpage
1col,

Figure 14: Caption set with the parameter setting `capPos=outer`, which will be a caption on the right side for an even page and on the left side for an odd page.



Fig. 15
evenpage
1col,

Figure 15: Caption at the bottom right beside the float with a caption width of `0.5\columnwidth` and `capPos=outer`.



We have an even page, the reason why figure 14 has the caption for *inner* on the left side and figure 15 for *outer* on the right side.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Code for figure 16:

```

1 \hvFloat[%
2   capWidth=0.5,% of \columnwidth
3   capPos=inner,% =====> INNER
4   capAngle=0,
5   capVPos=bottom,
6   objectPos=center]{figure}{\includegraphics{images/rose}}%
7   [Centered Caption beside Object]{%
8     Caption vertically centered right beside the float with a caption
9     width of \texttt{0.5\textbackslashcolumnwidth} and \texttt{capPos=outer} }{fig:22}

```

Fig. 16
evenpage
1col,

We have an even page, the reason why figure 13 has the caption for *inner* on the right side and figure 15 for *outer* on the left side.

Figure 16: Caption vertically centered right beside the float with a caption width of $0.5\backslash\text{columnwidth}$ and `capPos=outer`



7 Vertical Position of the Caption

The caption can be placed beside the object in the positions

(c)enter|(b)ottom|(t)op

The code for figure 17:

```

1 \hvFloat[%
2   floatPos=htb,%
3   capWidth=0.25,%
4   capPos=right,%
5   capVPos=bottom,%
6 ]{figure}{\frame{\includegraphics{images/rose}}}{Caption at bottom right beside the float}{fig:4}

```



Figure 17: Caption at bottom right beside the float

Fig. 17
oddpage
1col,

The code for figure 18:

```

1 \hvFloat[%
2   floatPos=htb,
3   capWidth=0.25,
4   capPos=right,
5   capVPos=top,
6 ]{figure}{\frame{\includegraphics{images/rose}}}{Caption at top left beside the float}{fig:5}

```

The code for figure 19:

```

1 \hvFloat[%
2   capWidth=0.25,%
3   capPos=right,%
4   capVPos=center,% the default
5 ]{figure}{\frame{\includegraphics{images/rose}}
6   \frame{\includegraphics[origin=c,angle=180]{images/rose}}}%
7 {Caption centered right beside the float}{fig:6}

```

Fig. 18
oddpage
1col,

Fig. 19
oddpage
1col,

Figure 18: Caption at top left beside the float




Figure 19: Caption centered right beside the float

8 Caption format

The `\caption` and `\subcaption` macros are fully under the control of the package `caption`. The formatting can be set with the macros `\captionsetup`, `\subcaptionsetup`, or via the optional argument setting of `\hvFloat` with the keywords `capFormat` and `subcapFormat`. The argument itself will then be used internally by `\captionsetup` and/or `\subcaptionsetup` in a minipage, the reason why it will be local to the current image..

```

1 \hvFloat[%
2   capPos=right,
3   capFormat={\labelsep=newline, justification=RaggedRight, font={small, it}, labelfont=bf}
4 ]{figure}{\frame{\includegraphics{images/rose}}}{\blindtext}{fig:66}
    
```

Fig. 20
evenpage
1col,



Figure 20

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

9 Horizontal Position of the Float

The caption is always near the object, only divided by the length `\floatCapSep` which can be set by the keyword of the same name `floatCapSep`. It accepts only a value with any allowed unit.

The keyword `objectPos` refers always to the complete floating object: caption *and* object. The meaning of `objectPos=left` is: Put the object as far as possible to the left margin. If `capPos=left` is also used, then the caption is at the left margin followed by the object (see Figure 22).

The code for figure 21:

```

1 \hvFloat[%
2   capWidth=0.25,
3   capPos=right,
4   capVPos=top,
5   objectPos=left,
6   objectFrame,
7 ]{figure}{\includegraphics{images/rose}}{%
8   Caption at top right beside the float and object position left}{fig:7}

```



Figure 21: Caption at top right beside the float and object position left

Fig. 21
oddpages
1col,

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The same with `capPos=left` :

Figure 22: Caption at top right beside the float and object position left



Fig. 22
oddpages
1col,

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

10 Wide floats

The code for figure 23:

```
1 \hvFloat[%  
2   capWidth=0.25,  
3   capPos=before,  
4   capVPos=top,  
5   objectPos=right,  
6   objectFrame,  
7 ]{figure}{\includegraphics{images/rose}}{%  
8   Caption at top leftt beside the float and object position right}{fig:8}
```

Fig. 23
evenpage
1col,

Figure 23: Caption at
top left beside the float
and object position
right



Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

10 Wide floats

With the optional argument `wide` the width of the defined `\marginparwidth` is added to the allowed horizontal width of the float.

The code for figure 24:

```
1 \hvFloat[wide,  
2   capPos=right,  
3   capVPos=top,  
4   objectPos=left,  
5 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%  
6   Caption at top right beside the float and object position left and  
7 the option \texttt{wide}.}{fig:70}
```

Fig. 24




Figure 24: Caption at top right beside the
float and object position left and the option
`wide`.

The code for figure 25:

```
1 \hvFloat[wide,
```




```

2 capPos=left,
3 capVPos=top,
4 objectPos=right,
5 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}%
6 {Caption at top left beside the object and object position left and
7 the option \texttt{wide}.}{fig:80}

```

Figure 25: Caption at top left beside the object and object position left and the option wide.



For a twosided document it will place the object always in the margin.


Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \hvFloat[wide,
2 capPos=inner,
3 capVPos=top,
4 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}%
5 Caption at top and inner beside the float and object position right and
6 the option \texttt{wide}.}{fig:81}

```

Figure 26: Caption at top and inner beside the float and object position right and the option wide.



Now we set the same image with the same setting on the next page. The caption will change its side due to the setting capPos=outer .

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \hvFloat[wide,
2 capPos=inner,
3 capVPos=top,
4 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}%
5 Caption at top inner beside the float and object position right and
6 the option \texttt{wide}.}{fig:811}

```

The caption can be typeset completely into the margin with:

Fig. 27
oddpage
1col,





Figure 27: Caption at top inner beside the float and object position right and the option wide.

```

1 \captionsetup{justification=RaggedRight}
2 \hvFloat[wide,
3   capPos=outer,
4   capVPos=top,
5   floatCapSep=\marginparsep,
6 ]{figure}{\includegraphics[width=\linewidth]{images/CTAN}}{%
7 Caption at top inner beside the float and object position right and
8 the option \texttt{wide}.}{fig:812}

```

Figure 28: Caption at top inner beside the float and object position right and the option wide.



With the optional argument `capWidth=l` the caption can be terminated to the current line width. With the optional argument `capHPos=right` one can set the caption to the left, center, or right of the full width which is `linewidth` and `margin width`.

```

1 \hvFloat[capPos=bottom, capWidth=l, wide, capHPos=right]{figure}
2   {\includegraphics[width=0.49\hvWideWidth]{images/CTAN}\quad
3   \includegraphics[width=0.49\hvWideWidth]{images/CTAN}}
4   {\hvblindtext}
5   {label}

```

Fig. 29





Figure 29: Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

11 Margin floats

With the optional argument `inMargin` the object and the caption can be placed into the margin. This is done internally with the command `\marginnote` from the package of the same name.

```
1 \hvFloat[inMargin]{figure}{\includegraphics[width=\marginparwidth]{images/rose2}}
2 {An image in the margin of the document.}
3 {rose2}
4 ...
5 \savebox\hvOBox{\small\begin{tabular}{@{}}
6   ccc@{}}\hline Mon& Di& Mi\\ frei & Dienst & frei\\
7   Dienst & Dienst & Frei\\\hline \end{tabular}}
8 \hvFloat[inMargin,useOBox]{table}{
9 {A tabular in the margin just like the image.}
10 {rose2}}
```

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The same is possible with a short tabular, dependent to the width of the margin.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.




Figure 30: An image in the margin of the document.

Mon	Di	Mi
frei	Dienst	frei
Dienst	Dienst	Frei

Table 4: A tabular in the margin just like the image.

12 The star version `\hvFloat*`

In the twocolumn mode the floating environment can be set over both columns with the star version `\hvFloat*`. The floating environment will not be on the bottom of the page. The code for the following example (Figure 31 on the following page) is:

```
1 \hvFloat*[capPos=right]{figure}%
2 {\includegraphics{images/frose}}%
3 [A float with the default caption setting]%
4 {A default caption of a ``'' object with the default setting, which
5   is a ``left'' caption which means that it always appears before the object.
6   This can be an even or odd page. And some more text which has no
7   real meaning because it fills only the space for a long caption.}%
8 {fig:0}
```

The example shows on page 3 the star version and on page 4 the same without using the star.

13 Full Page Width in Landscape Mode

If you do not want to load the package `lscope` (or `pdfscape`) you can use the `floatPos=p` option to put the image on an own page and rotated by 90 degrees (figure 32).

Code for figure 32:




Figure 31: Output of default1s2c (pages 2 –5)

```

1 \hvFloat[%
2   floatPos=p,
3   capPos=bottom,
4   rotAngle=90,
5   objectPos=center,
6 ]{\figure}{\includegraphics[width=0.9\textheight]{images/CTAN}}%
7   [Object and Caption in landscape mode]{%
8     Caption and object in landscape mode. \blindtext}{fig:9}

```

The float can also be put to the left or to the right (above/below in landscape) with the objectPos=l parameter

Fig. 32
evenpage
1col,

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The code for figure 33:

```

1 \hvFloat[%
2   floatPos=p,
3   capWidth=h,
4   capPos=right,
5   objectAngle=90,
6   capAngle=-90,
7   objectPos=left,
8 ]{\figure}{\includegraphics[width=\textheight]{images/CTAN}}%
9   [Rotated Caption in Landscape]{%
10    Caption right beside the float and object position left. The caption rotated by $-90$
11    degrees.\blindtext}{fig:10}

```

Fig. 33
evenpage
1col,

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there




Figure 32: Caption and object in landscape mode. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.




Figure 33: Caption right beside the float and object position left. The caption rotated by -90 degrees. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjiff – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

14 The nonFloat Option

Sometimes it is better to put a “float” in a specific position of the page. This is possible with the nonfloat package and the keyword nonFloat.

```

1 Some nonsense text before the following \emph{non floating} object.
2
3 \hvFloat[%
4   nonFloat,
5   capWidth=0.25,
6   capPos=right,
7   capVPos=bottom,
8   objectPos=center,
9   objectFrame,
10 ]{figure}{\includegraphics[scale=1.5]{images/rose}}%
11 [Nonfloat Captions]{%
12   Caption of a ``nonfloat'' Object, using the \texttt{nonfloat} Package}{fig:11}
13
14 Some nonsense text after the preceding \emph{non floating} object.
```

Some nonsense text before the following *non floating* object.




Figure 34: Caption of a “nonfloat” Object, using the nonfloat Package

Some nonsense text after the preceding *non floating* object.

The image 34 is exactly placed where the command \hvFloat appears. There are only commands for figure and table environments:

```

\newcommand{\figcaption}{\def\@captive{figure}\caption}
\newcommand{\tabcaption}{\def\@captive{table}\caption}
```

But it is no problem, to define more xxxcaption commands to support other with the float package defined new floats.

Fig. 34
oddpage
1col,

15 Tabulars as Objects

The object has to be passed as an parameter to the `\hvFloat` macro. This is no problem with images but maybe with tables, so it is easier to use the box `\hv0Box` to save the table in this box and pass it then to `\hvFloat` with the `use0Box` option. For example see table 5 and 6:

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \savebox{\hv0Box}{%
2 \begin{tabular}{>{\small\ttfamily}l|l|l}\hline
3 \rmfamily Name & Type & Description\\\hline
4 \CMD{hvFloat} & command & places object and caption in different ways\\
5 hvFloatEnv & environment & places object and caption exactly Here\\
6 \CMD{figcaption} & command & writes a figure caption in a non floating environment\\
7 \CMD{tabcaption} & command & writes a table caption in a non floating environment\\
8 \CMD{hvFloatSetDefaults} & command & sets all options to the defaults\\\hline
9 \end{tabular}%
10 }
```

The code for table 5 and 6 is:

```

1 \hvFloat[%
2 floatPos=!hb,
3 capPos=top,
4 use0Box]{table}{\texttt{use0Box} Parameter}{table:1}
5
6 \hvblindtext
7
8 \MarginNote{Tab.-\ref{table:2}}
9 \hvFloat[%
10 floatPos=hb,
11 use0Box=true,
12 objectAngle=90,
13 capPos=right,
14 capVPos=top,
15 capWidth=0.3]{table}{\texttt{use0Box} Parameter}{table:2}
```

In this case leave the third parameter empty.

Tab. 5
evenpage
1col,

Table 5: Demonstration of the `use0Box` Parameter

Tab. 6
evenpage
1col,

Table 6: Demonstration of
the `use0Box` Parameter

16 Text and objects

With the `onlyText` keyword it is no problem to put some text beside an image without getting the caption title Figure/Table. The object still can be a floating one or a nonfloating if the `nonfloat` keyword is used.

The code for figure 16:

```

1 \hvFloat[%
2   onlyText=true,
3   capAngle=90,
4   capPos=right,
5   capVPos=top,
6   objectFrame,
7   capWidth=h}{\includegraphics{images/rose}}%
8   [``\texttt{onlyText}'' Caption]{%
9     Demonstration of the \texttt{onlyText} Parameter, which makes it
10    possible to put some text beside a floating object without getting
11    a starting \texttt{Figure:} or \texttt{Table:}}{fig:text}

```



Demonstration of the `onlyText` Parameter, which makes it possible to put some text beside a floating object without getting a starting `Figure:` or `Table:`

Fig. 16
oddpage
1col,

17 Environment hvFloatEnv

With the environment `hvFloatEnv` one can place an object exactly on that position where the environment is defined. For captions the use of `\captionof` is recommended:

```

1 \begin{hvFloatEnv}
2 \captionof{table}{A caption for a nice table}
3 \begin{tabular}{@{} l c r @{}}\hline
4 left & center & right \\
5 L & C & R \\
6 \end{tabular}
7 \end{hvFloatEnv}

```

Table 7: A caption for a nice table

left	center	right
L	C	R

The environment has an optional argument for setting the line width which is preset to `\textwidth`. The object is always centered.

```

1 \begin{hvFloatEnv}[0.5\textwidth]
2 \captionof{table}{A caption for a nice table}
3 \begin{tabular}{@{} l c r @{}}\hline
4 left & center & right \\
5 L & C & R \\
6 \end{tabular}
7 \end{hvFloatEnv}

```

Table 8: A caption for a nice table

left	center	right
L	C	R

18 Full page objects in onecolumn mode

For an image or table which needs the whole space of a page the caption can be printed at the bottom of the preceding or following page. It is possible in onside and twoside mode, but makes only real sense in the twoside mode. hvfloat defines three additional optional arguments for placing images in a complete column, page or paper:

```
\define@key{Gin}{fullpage}[true]{%
  \def\Gin@ewidth{\columnwidth}%
  \def\Gin@eheight{\textheight}%
  \Gin@boolkey{false}{iso}%
}
\define@key{Gin}{FullPage}[true]{%
  \def\Gin@ewidth{\textwidth}%
  \def\Gin@eheight{\textheight}%
  \Gin@boolkey{false}{iso}%
}
\define@key{Gin}{FULLPAGE}[true]{%
  \def\Gin@ewidth{\paperwidth}%
  \def\Gin@eheight{\paperheight}%
  \Gin@boolkey{false}{iso}%
}
```

Figure 35 shows the meaning of the optional arguments fullpage, FullPage, and FULLPAGE for `\inclugraphics [...]{tiger}`.




Figure 35: Output of fullpage1s2c (pages 1–8)

18.1 Using the textarea

The setting `capPos=evenPage` (even) or `capPos=oddPage` (odd) page for a document in twocolumn mode makes no real sense. For a twosided document a setting like `capPos=inner` for inner or `capPos=outer` for outer margin makes more sense. For an image or table which needs the whole space of a page the caption can be printed at the bottom of the preceding or following page. It is possible in onese and twoside mode, but makes only real sense in the twoside mode. Without any additional argument the caption is set first and the object on the following page:

18.1.1 Using the default or `capPos=before`

Without any additional argument the caption is set first (left) at the bottom of the current page and the object on the following page. This is the same setting like `capPos=left` for a onecolumn document. For the twocolumn it makes more sense to use the setting `capPos=before` if the caption and object can appear on different pages.

```

1 \hvFloat[fullpage]%
2 {figure}%
3 {\includegraphics[fullpage]{images/frose}}%
4 [A fullpage float with the default caption setting]%
5 {A default caption of a ``fullpage'' object with the default setting, which
6  is a ``left'' caption which means that it always appears ``before'' the object.
7  This can be an even or odd page. And some more text which has no
8  real meaning because it fills only the space for a long caption.}%
9 {fig:fullpage0}

```

Table 9: Valid optional arguments for a full page object.

Name	Type	Description
<code>fullpage</code>	<code>true false</code>	Put the caption on the bottom of the preceding or following page and the object alone a page.
<code>FULLPAGE</code>	<code>true false</code>	The same for full papersize objects over one or two columns. The <code>pagestyle</code> is set to empty
<code>multiFloat</code>	<code>true false</code>	For multiple objects with captions for every object. See section 18.3 on page 38 .
<code>subFloat</code>	<code>true false</code>	For multiple objects with one main and more subcaptions. See section 19 on page 40 .
<code>separatorLine</code>	<code>true</code>	Put a line with a predefined width of 0.4pt between the text and the caption. Only valid for the keyword <code>fullpage</code> .
<code>capPos</code>	value	caption before, after an object or on an <code>evenPage</code> or <code>oddPage</code> .

With this setting the caption is always placed *before* the following object. This maybe sufficient for a onese document but not the best solution if this document is printed on a duplex machine. In such a case it may make sense to have the captions always on an even (left) page, even though the document is typeset in a onese mode. Figure [36 on the following page](#) shows the output for a onese document with a setting `capPos=before`.

Depending to the used documentclass it can be a problem, if the caption should be placed on the first page. In such a case use one of the other setting. Table 9 shows the valid optional arguments for a full page floating object.




Figure 36: Output of default1s1c (pages 2–9)

18.1.2 Using capPos=after

The caption will be printed always on the right side which is the same as *after* the full page object. The object appears immediately on the next page and the caption of the next following page at the bottom. There is no check for an even or odd page. This behaviour makes only sense for a oneside document.

```

1 \hvFloat[fullpage, capPos=after]%
2 {figure}%
3 {\includegraphics[fullpage]{images/frose}}%
4 [A float which needs the complete page width and height.]%
5 {A Caption of a ``fullpage'' object, which follows on the next page.
6 This can be an even or odd page. And some more text which has no
7 real meaning because it fills only the space for a long caption.}
8 {fig:fullpage}
    
```




Figure 37: Output of after1s1c (pages 2–9)

18.1.3 Using capPos=evenPage — caption on an even page

With capPos=evenPage the caption will be printed on an even (left) page, the object will always be on an odd (right) page. This option makes only real sense for The twoside mode!

```

1 \hvFloat[fullpage, capPos=evenPage]%
2 {figure}%
3 {\includegraphics[fullpage]{images/frose}}%
4 [A float with a caption on an even page (left)]%
5 {A caption on an even (left) page of a ``fullpage'' object.. \blindtext}
6 {fig:fullpage3}
    
```




Figure 38: Output of even1s1c (pages 2–9)

18.1.4 Using capPos=oddPage — caption on an odd page

With capPos=oddPage the caption will be printed on an odd (right) page, the object will always be on an even (left) page, which is before the caption.

```

1 \hvFloat[fullpage, capPos=oddPage]%
2 {figure}%
3 {\includegraphics[fullpage]{images/frose}}%
4 [A float which needs the complete page width and height.]%
5 {A Caption on an odd page of a ``fullpage'' object, which follows on the next page.
6 This can be an even or odd page. And some more text which has no
7 real meaning because it fills only the space for a long caption.}
8 {fig:fullpage2}
    
```




Figure 39: Output of odd1s1c (pages 2-9)

18.1.5 Using capPos=inner or capPos=outer — caption on the inner or outer side

These settings make no sense in onecolumn mode.

18.2 Using the paper size

It belongs to the user to create an object which fills the complete page. However, with the keyword FULLPAGE which is valid for \hvfloat and for the macro \includegraphics an image will be scaled to the paper dimensions \paperwidth and \paperheight. It can be used in one- and twocolumn mode!

```

1 \hvFloat[FULLPAGE]%
2 {figure}%
3 {\includegraphics[FULLPAGE]{frose.png}}%
4 [A fullpage float with the default caption setting]%
5 {A default caption of a ``fullpage'' object with the default setting, which
6 is a ``left'' caption which means that it always appears before the object.
7 This can be an even or odd page. And some more text which has no
8 real meaning because it fills only the space for a long caption.}%
9 {fig:fullpage0}

```




Figure 40: Output of paper-default1s1c (pages 2–9)




Figure 41: Output of paper-after1s1c (pages 2–9)

18.3 Multifloats

Multifloats is the name for more than one image and/or tabular in *one* floating environment. Every image and/or tabular has its own caption, which is different to a subcaption. The syntax for multiple floats is

```
\hvFloat [Options] +{float type}{floating object} [short caption] {long caption}{label}
                +{float type}{floating object} [short caption] {long caption}{label}
                +...
                +{float type}{floating object} [short caption] {long caption}{label}
```

The + symbol defines an additional Object which will be part of the same floating environment. It's up to the user to be sure that one page or one column can hold all defined objects. Every object gets its own caption which is the reason why figures and tabulars and ... can be mixed:

```
1 \captionsetup{singlelinecheck=false}
2 \hvFloat[fullpage,capPos=before,multiFloat,vFill]%
3   +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%           no 1
4   [Short caption A]%
5   {A Caption A of a ``fullpage'' object, which follows on the left or
6     right column. This can be an even or odd page. And some more text which has no
7     real meaning because it fills only the space for a long caption.}%
8   {img:demo0}%
9   +{table}{\begin{tabular}{lrcp{3cm}}\hline                               %           no 2
10      Linksbündig & Rechtsbündig & Zentriert & Parbox\\\hline
11      L           & R           & C           & P\\
12      left        & right       & center     & Text with possible linebreaks\\
13      \multicolumn{4}{c}{Multicolumn over all columns}\\\hline
14      \end{tabular}}%
15   [Short Caption B]%
16   {A Caption B of a ``fullpage'' object, which follows on the left or
17     right column. This can be an even or odd page.}{}%
18   +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%           no 3
19   {A Caption C of a ``fullpage'' object, which follows on the left or
20     right column.}%
21   {img:demo1}
22   +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%           no 4
23   {A Caption C of a ``fullpage'' object, which follows on the left or
24     right column.}%
25   {img:demo2}
```

The page with the objects has no additional informations it holds only the figures and/or tabulars. If you want it like subfigures or subtabulars then go to [section 19 on page 40](#). The setting `\captionsetup{singlelinecheck=false}` is needed if you want the captions always left aligned.




Figure 42: Output of multi-default1s1c (pages 4-11)




Figure 43: Output of multi-after1s1c (pages 4-11)

19 Subfloat page

A subfloat page can have only one type of floats which will have one main caption and individual subcaptions. The syntax is similar to the one for a multifloat page:

```
\hvFloat [Options] +{float type}{<empty>} [short caption] {long caption}{label}
           +{<empty>}{floating object} [short caption] {long caption}{label}
           +...
           +{<empty>}{floating object} [short caption] {long caption}{label}
```

Some arguments are ignored for a subfloat, one can leave them empty. The first line defines only the type and the main caption, the object entry is ignored! All additional lines will have the same float type, the reason why the float type entry is ignored.

```
1 \hvFloat[fullpage,capPos=before,objectFrame,subFloat,vFill]%
2 +{figure}{}[Short main caption of the objects]% main short lsi entry
3 {The main caption of a ``fullpage'' object, which follows on the left or
4 right column. This can be an even or odd page. And some more text which has no
5 real meaning because it fills only the space for a long caption.}% main caption
6 {sub:demo0}%
7 +{{\includegraphics[width=\linewidth]{images/CTAN}}}%
8 [Short caption B]%
9 {A Caption B of a ``fullpage'' sub object.}% subcaption
10 {}%
11 +{{\includegraphics[width=\linewidth]{images/CTAN}}}%
12 {A Caption C of a ``fullpage'' object, which follows on the left or right column.}%
13 {sub:demo1}
14 +{{\includegraphics[width=\linewidth]{images/CTAN}}}%
15 {A Caption D of a ``fullpage'' object}{sub:demo2}
16 +{{\includegraphics[width=\linewidth]{images/CTAN}}}%
17 {A Caption E of a ``fullpage'' object}{sub:demo3}
```

The keyword `subFloat` defines the images or tabulars as subfloats. The package `subcaption` is loaded by default and should be activated with `\captionsetup[sub][singlelinecheck]`.




Figure 44: Output of sub-default1s1c (pages 4–11)




Figure 45: Output of sub-after1s1c (pages 4–11)

20 Full page objects in twocolumn mode

The filenames always have a “2c” for two columns in its names, e.g. left2s2c indicates capPos=before and the documentclass setting twoside and twocolumn. Depending to the used documentclass it can be a problem, if the caption should be placed on the first page of the whole document. In such a case use one of the other setting. Table 9 on page 31 shows the valid optional arguments for a full page floating object.

20.1 Default setting

For the twocolumn mode the caption can be in the left (first) or right (second) column. With the default setting (without using the keyword capPos) it is equivalent to the setting capPos=before, the caption is always placed *before* (left of) the object. This can be the first or the second column and both can be on different pages. With capPos=before (uppercase L) it is possible to get the caption and the object in the twocolumn mode always on one page. This is then the left (first) column for the caption (see figure 46).




Figure 46: Output of default2s2c (pages 2–9)

```

1 \hvFloat[fullpage]{figure}%
2 {\includegraphics[width=\columnwidth,height=0.9\textheight]{images/frose}}%
3 [A float which needs the complete column width and height.]%
4 [A Caption of a ``fullpage'' object, which follows on the next column.
5 This is always the right column on an even or odd page. And some more
6 text which has no real meaning because it fills only the space for a long
7 caption.]%
8 {fig:fullpage0-2}

```

The example 46 shows that the caption and the object can be on different pages. If you do not like this behaviour, then use the setting capPos=left, which puts the caption before the

object, but always on the *same page* (see Figure 47).




Figure 47: Output of left2s2c (pages 2–9)

20.1.1 Using capPos=after

The caption will be printed always right of the object which is the same as *after* the full page object. With capPos=after it is possible to get the caption in the twocolumn mode always in the right (second) column (see figure 49 on the next page)

```

1 \hvFloat[fullpage, capPos=after]{figure}%
2 {\includegraphics[fullpage]{images/rose}}%
3 [A float which needs the complete column width and height.]%
4 {A Caption of a ``fullpage'' object, which is on the left column.
5 This is always the right column on an even or odd page. And some more
6 text which has no real meaning because it fills only the space for a long
7 caption.}%
8 {fig:fullpage1-2}
    
```

The caption and the object can be on different pages (Figure 48 on the following page). If you do not like this behaviour, then use the setting capPos=right instead of capPos=after . Figure right2s2c shows that caption and object in this case are always on the same page.




Figure 48: Output of after2s2c (pages 2–9)




Figure 49: Output of right2s2c (pages 2–9)

20.1.2 Using capPos=evenPage — caption on an even page

There can be a problem if there is not enough space on the bottom of the even page. Then the caption will be on the next page which is an odd one. In such a case use a manually `\clearpage` or wait for an update of `hvfloat`.




Figure 50: Output of even2s2c (pages 2–9)

20.1.4 Using capPos=inner — caption in the inner column

The caption will be printed in the right column for an even page and in the left column for an odd page.

```

1 \hvfFloat[fullpage,capPos=inner]{figure}{\includegraphics[fullpage]{images/rose}}%
2 [A float which needs the complete column width and height.]%
3 {A Caption of a ``fullpage'' object, which follows on the left or right column.
4 This can be an even or odd page. And some more text which has no
5 real meaning because it fills only the space for a long caption.}{fig:fullpage3-2}
    
```




Figure 52: Output of inner2s2c (pages 2–9)

20.1.5 Using capPos=outer – caption on the outer column

The caption will be printed on the left column an odd page, the object can appear before or after this caption.

```

1 \hvFloat[fullpage, capPos=outer]{figure}%
2 {\includegraphics[fullpage]{images/rose}}%
3 [A float which needs the complete page width and height with \texttt{capPos=outer}.]%
4 {A Caption of a ``fullpage'' object, which has the caption position in the
5 outer page. This can be an even or odd page. And some more text which has no
6 real meaning because it fills only the space for a long caption.}{fig:fullpage2-2a}
    
```




Figure 53: Output of outer2s2c (pages 2–9)

20.2 Using full page in twocolumn mode

With the star version of `\hvfloat` The object is placed over both columns, the whole page. In such a case the only useful caption position is `capPos=inner` for *inner*.

```

1 \hvfloat*[fullpage, capPos=inner]{figure}%
2 {\includegraphics[FullPage]{images/rose}}%
3 [A float which needs the complete page width and height with \texttt{capPos=outer}.]%
4 {A caption of a ``fullpage'' object in twocolumn mode: It uses the star version
5 of \textbackslash hvfloat. The object goes over both columns.}{fig:two}

```




Figure 54: Output of paper-default2s2c (pages 2-9)




Figure 55: Output of paper-inner2s2c (pages 2–9)

20.3 Multifloats

Multifloats is the name for more than one image and/or tabular in *one* floating environment. Every image and/or tabular has its own caption, which is different to a subcaption. The + symbol defines an additional Object which will be part of the same floating environment. It's up too the user to be sure that one page or one column can hold all defined objects. Every object gets its own caption which is the reason why figures and tabulars and ... can be mixed:

```

1 \captionsetup{singlelinecheck=false}
2 \hvFloat[fullpage,multifloat,capPos=inner,vFill]%
3 +{figure}{\includegraphics[height=0.4\textheight]{images/rose}}% no 1
4 [Short caption A]%
5 {A Caption A of a ``fullpage'' object, which follows on the left or
6 right column. This can be an even or odd page. And some more text which has no
7 real meaning because it fills only the space for a long caption.}%
8 {multi:demo0}%
9 +{table}{\begin{tabular}{lr}\hline % no 2
10 Linksbündig & Rechtsbündig\\
11 L & R & \\
12 left & right & \\
13 \multicolumn{2}{c}{Multicolumn}}\hline
14 \end{tabular}}%
15 [Short Caption B]%
16 {A Caption B of a ``fullpage'' object, which follows on the left or
17 right column. This can be an even or odd page.}%
18 {}%
19 +{figure}{\includegraphics[height=0.4\textheight]{images/rose}}% no 3
20 {A Caption C of a ``fullpage'' object, which follows on the left or
21 right column.}%
22 {multi:demo1}
    
```

The page with the objects has no additional informations it holds only the figures and/or tabulars. If you want it like subfigures or subtabulars then go to section 19 on page 40. The setting `\captionsetup{singlelinecheck=false}` is needed if you want the captions always left aligned.




Figure 56: Output of multi-default2s2c (pages 2-9)

21 Subfloat page

A subfloat page can have only one type of floats which will have one main caption and individual subcaptions. Some arguments are ignored for a subfloat, one can leave them empty. The first line defines only the type and the main caption, the object entry is ignored! All additional lines will have the same float type, the reason why the float type entry is ignored.

```

1 \captionsetup[sub]{singlelinecheck}
2 \hvFloat[fullpage,capPos=before,objectFrame,subFloat,vFill]%
3 +{figure}{[Short main caption of the objects]% main short lsi entry
4 {The main caption of a ``fullpage'' object, which follows on the left or
5 right column. This can be an even or odd page. And some more text which has no
6 real meaning because it fills only the space for a long caption.}% main caption
7 {sub:demo00}%
8 +{{\includegraphics[height=0.28\textheight]{images/rose}}}%
9 [Short caption B]%
10 {A Caption B of a ``fullpage'' sub object.}% subcaption
11 }%
12 +{{\includegraphics[height=0.28\textheight]{images/rose}}}%
13 {A Caption C of a ``fullpage'' object, which follows on the left or right column.}%
14 {sub:demo10}
15 +{{\includegraphics[height=0.28\textheight]{images/rose}}}%
16 {A Caption D of a ``fullpage'' object}%
17 {sub:demo20}

```




Figure 57: Output of multi-inner2s2c (pages 2-9)

The keyword `subFloat` defines the images or tabulars as subfloats. The package `subcaption` is loaded by default. For the subcaptions the `singlelinecheck` should be true (see listing).




Figure 58: Output of sub-default2s2c (pages 2-9)




Figure 59: Output of sub-after2s2c (pages 2-9)

22 Doublepage objects – images and/or tabulars

If an image or a tabular or any other object is too big for one page, it can be split over two pages (left – right). It is obvious that this makes only sense for twoside documents. There are three optional arguments:

doublePage A splitted object with or without a caption on top of a double page, beginning in the left top text area. The user has to scale the image to be sure that the object will not be greater than $2\text{\paperwidth}-4\text{\margin}$. The caption can be rotated on the right side of the right object part or under the right part.

doublePAGE A splitted object with or without a caption on top of a double page, beginning at the left side of the paper area and top of the text area. The user has to scale the image to be sure that the object will not be greater than 2\paperwidth . The caption can only be under the right part of the object. The will be *no additional text* on the double page.

doubleFullPage A splitted object with or without a caption on the left or right below of a double page image. The object can fill the complete double page. The user has to scale the image to be sure that the object will not be greater than 2\paperwidth .

doubleFULLPAGE A splitted object with or without a caption on the right or below of a double page. The object can fill the complete double page. The user has to scale the image to be sure that the object will not be greater than 2\paperwidth . A caption will be rotated and written *over* the object, or if possible, at the right. The user has to take care for a correct text color.

22.1 doubleFULLPAGE

The scaling of the image is left to the user. If the proportion of the object doesn't fit $2*\text{paperwidth}/\text{paperheight}$, then there can be a white part on the top or bottom of the object. A pagenumber will not be printed. In this documentation you'll find a marginnote where the following full doublepage image is defined. It appears on the the next following even page and following text will be placed *before* the object.

```

1 \hvFloat[doubleFULLPAGE,capPos=right,capAngle=90]%
2 {figure}%
3 {\includegraphics[width=2\paperwidth]{images/stavanger0}}%
4 [A doublepage image with a caption on the image.]%
5 [A caption for a double-sided image that will be placed below the right-hand
6 part of the illustration. The illustration begins on the left edge of the paper.
7 No further text is placed on the pages. A short form is used for the LOF.
8 The parameter is \texttt{doubleFULLPAGE}}%
9 {fig:doubleFULLPAGE0}

```

Fig. 60
evenpage
1col,

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some

nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of





Figure 61: A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

It is also possible to take a bind correction into account with e.g. `binCorr=5mm`, which reserves whitespace of 5mm in the inner margin on both pages.

```

1 \hvFloat[doubleFULLPAGE,capPos=after,bindCorr=5mm]%
2 {figure}%
3 {\includegraphics[width=2\paperwidth]{images/aida0}}%
4 [A doublepage image with a caption on the image.]%
5 {A caption for a double-sided image that will be placed below the right-hand
6 part of the illustration. The illustration begins on the left edge of the paper.
7 No further text is placed on the pages. A short form is used for the LOF.
8 The parameter is \texttt{doubleFULLPAGE}}%
9 {fig:doubleFULLPAGE0a}

```

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written

Fig. 62
oddpages
1col,





and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some

Figure 62: A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is `doubleFULLPAGE`

nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \hvFloat[doubleFULLPAGE,capPos=right]%
2 {figure}%
3 {\includegraphics[height=\paperheight]{images/aidal}}%
4 {A caption for a double-sided image that will be placed on the right-hand
5 part of the illustration. The illustration begins on the left edge of the paper.
6 No further text is placed on the pages. A short form is used for the LOF.
7 The parameter is \texttt{doubleFULLPAGE}}%
8 {fig:doubleFULLPAGE1}

```

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Fig. 63
oddpage
1col,





Figure 64: A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information

about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Placing the caption on the image itself is not the best solution. With the optional arguments before and after for capPos, the caption can be placed on the bottom of the preceding or following page of the doublepage object. A givel label, e.g. foo will always point to the page with the left part of the object. Internally are two additional labels defined: foo-cap points to the caption and foo-2 points to the right part of the doublepage object.

In the follwoing example 65 the caption is on page 71, the left image part on page 69 and the right part on page 70. In the follwoing example 66 the caption is on page 73, the left image part on page 74 and the right part on page 75. All three labels points to the same figure or table number:

```
\ref{foo} | \ref{foo-cap} | \ref{foo-2} → Figure 65 | Figure 65 | Figure 65
\pageref{foo} | \pageref{foo-cap} | \pageref{foo-2} → Page 69 | Page 71 | Page 70
```

```
1 \hvFloat[doubleFULLPAGE,capPos=after]%
2 {figure}%
3 {\includegraphics[doubleFULLPAGE,
4   keepaspectratio=false]{images/aidal}}%
5 {A caption for a double-sided image that will be placed \textbf{after}
6   the image. The image begins on the left edge of the paper.
7   No further text is placed on the pages. A short form is used for the LOF.
8   The parameter is \texttt{doubleFULLPAGE}}%
9 {foo}
```

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information

Fig. 65
oddpage
1col,





about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some

Figure 65: A caption for a double-sided image that will be placed **after** the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is `doubleFULLPAGE`

nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of

words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \hvFloat[doubleFULLPAGE, capPos=before]%
2 {figure}%
3 {\includegraphics[height=\paperheight,width=2\paperwidth,
4   keepaspectratio=false]{images/aidal}}%
5 {A caption for a double-sided image that will be placed \textbf{before}
6   the image. The image begins on the left edge of the paper.
7   No further text is placed on the pages. A short form is used for the LOF.
8   The parameter is \texttt{doubleFULLPAGE}}%
9 {bar}

```

Fig. 66
evenpage
1col,

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some

nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text

Figure 66: A caption for a double-sided image that will be placed **before** the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE





without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

22.2 doublePAGE

With this option the object also starts at the left paper margin but on the top of the text area. There will be pagenumbers and a caption can be rotated on the right of the object or under it.

```

1 \hvFloat[doublePAGE]%
2 {figure}%
3 {\includegraphics[width=\dimexpr2\textwidth+2in]{images/seiser}}%
4 [A doublepage image with a caption below the right part.]%
5 {A caption for a double-sided image that will be placed below the right-hand
6 part of the illustration. The illustration begins on the left edge of the paper.
7 No further text is placed on the pages. A short form is used for the LOF.
8 The parameter is \texttt{doublePAGE}}%
9 {fig:doublePAGE0}

```

Fig. 67
evenpage
1col,

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no

information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should





Figure 67: A caption for a double-sided image that will be placed below the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doublePAGE

be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

22.3 doublePage

With this option the object also starts at the left top of the text area. There will be pagenumbers and a caption can be rotated on the right of the object or under it and the rest of the text area is filled with text.

```

1 \hvFloat[doublePage,sameHeight]%
2 {figure}%
3 {\includegraphics[doublefullPage]{images/sonne-meer}}%
4 [A doublepage image with a caption on the right side of the right part.]%
5 {A caption for a double-sided image that will be placed on the right side of the
6 right-hand part of the illustration. The illustration begins on the left edge of
7 the paper. A short form is used for the LOF.
8 The parameter is \texttt{doublePage}}%
9 {fig:doublePage@sH}

```

Fig. 68
evenpage
1col,

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font,

how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text



without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest



Figure 68: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is `doublePage`

gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \hvFloat[doublePage,capPos=right,capVPos=top]%
2 {figure}%
3 {\includegraphics[width=2\textwidth]{images/sonne-meer}}%
4 [A doublepage image with a caption on the right side of the right part.]%
5 {A caption for a double-sided image that will be placed on the right side of the
6 right-hand part of the illustration. The illustration begins on the left edge of
7 the paper. A short form is used for the LOF.
8 The parameter is \texttt{doublePage}}%
9 {fig:doublePage1}

```


Fig. 69
evenpage
1col,

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text



without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information



Figure 69: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.


```

1 \hvFloat[doublePage,bindCorr=inner]%
2 {figure}%
3 {\includegraphics[width=2\textwidth]{images/sonne-meer}}%
4 [A doublepage image with a caption on the right side of the right part.]%
5 [A caption for a double-sided image that will be placed on the right side of the
6 right-hand part of the illustration. The illustration begins on the left edge of
7 the paper. A short form is used for the LOF.
8 The parameter is \texttt{doublePage}}%
9 {fig:doublePage@sh2}

```

Fig. 70
evenpage
1col,

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written

and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should



show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font,



Figure 70: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a

difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

22.4 doubleFullPage

This places an image over the complete width of two pages ($2\backslash\text{paperwidth}$) without modifying the height of the object. The caption can be placed on the the left or right side of the object.

```

1 \hvFloat[doubleFullPage,capWidth=n,capPos=left]%
2 {figure}%
3 {\includegraphics[doubleFullPage]{images/sonne-meer}}%
4 [A doublepage image with a caption on the left side.]%
5 {A caption for a double-sided image that will be placed on the left side of the
6 doublepage part of the illustration. The illustration begins on the left edge of
7 the paper. A short form is used for the LOF.
8 The parameter is \texttt{doublePage}}%
9 {fig:doublePage000}

```

Fig. 71
evenpage
1col,

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there

no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of



Figure 71: A caption for a double-sided image that will be placed on the left side of the doublepage part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.



This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should

be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \hvFloat[doubleFullPage,capWidth=n,sameHeight,capPos=right]%  
2 {figure}%  
3 {\includegraphics[doubleFullPage]{images/sonne-meer}}%  
4 [A doublepage image with a caption on the right side of the right part.]%  
5 {A caption for a double-sided image that will be placed on the right side of the  
6 right-hand part of the illustration. The illustration begins on the left edge of  
7 the paper. A short form is used for the LOF.  
8 The parameter is \texttt{doublePage}}%  
9 {fig:doublePage001}
```

Now a pagebreak follows so that the following doublepage object should immediately placed on the next page.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written



Figure 72: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special



content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text

without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text

should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text

will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

22.5 Tabulars

In General there is no difference in an image or tabular or simple text. The object will be saved in a box and then clipped. If the object is a tabular one might modify the tabular if it will be split in the middle of a column. In such a case one can insert some additional horizontal space for this column.

The tabular itself can be saved into the internal box `\hv0Box` or put directly as parameter into the macro.

```

1 \global\savebox\hv0Box{%
2 \begin{tabular}[l*{18}r] \toprule
3 & \textbf{1972} & \textbf{1973} & \textbf{1974} & \textbf{1975} & \textbf{1976}
4 & \textbf{1977} & \textbf{1978} & \textbf{1979} & \textbf{1980} & \textbf{1981} & \textbf{1982} & \
& \textbf{1983} & \textbf{1984} & \textbf{1985}
5 & \textbf{1986} & \textbf{1987} & \textbf{1988} & \textbf{1989}
6 \\ \midrule
7 \addlinespace[3pt]
8 Zeile 1 & 1 & 3 & 1 & 1 & 1 & 0 & 1 & 1 & 0 & 0 & 0 & 0 & 20 & 0 & 2 & 2 & 2 & 1 \\ \addlinespace[3pt]
9 Zeile 2 & 1 & 1 & 3 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 2 & 1 & 3 & 4 & 4 & 6 & 4 & 2 \\ \addlinespace[3pt]
10 Zeile 3 & 2 & 1 & 2 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 5 & 3 & 1 & 7 & 7 & 3 \\ \addlinespace[3pt]
11 Zeile 4 & 1 & 0 & 5 & 1 & 2 & 0 & 0 & 0 & 0 & 2 & 1 & 1 & 0 & 3 & 7 & 2 & 1 \\ \addlinespace[3pt]
12 Zeile 6 & 2 & 1 & 1 & 0 & 0 & 0 & 0 & 0 & 1 & 2 & 0 & 5 & 2 & 2 & 5 & 4 & 2 \\ \addlinespace[3pt]
13 Zeile 5 & 0 & 0 & 4 & 2 & 1 & 2 & 2 & 1 & 0 & 0 & 0 & 1 & 1 & 0 & 2 & 5 & 4 & 3 \\ \addlinespace[3pt]
14 Zeile 8 & 0 & 1 & 1 & 0 & 0 & 0 & 1 & 1 & 0 & 3 & 2 & 1 & 2 & 1 & 3 & 5 & 3 & 4 \\ \addlinespace[3pt]
15 Zeile 9 & 0 & 0 & 0 & 0 & 1 & 2 & 1 & 0 & 0 & 0 & 4 & 2 & 1 & 4 & 5 & 2 \\ \addlinespace[3pt]
16 Zeile10 & 0 & 1 & 3 & 0 & 1 & 0 & 1 & 0 & 0 & 1 & 1 & 0 & 1 & 1 & 4 & 4 & 1 \\ \addlinespace[3pt]
17 Zeile11 & 0 & 2 & 2 & 1 & 1 & 0 & 1 & 0 & 0 & 0 & 2 & 6 & 1 & 0 & 2 & 1 & 1 \\ \addlinespace[3pt]
18 Zeile12 & 2 & 0 & 2 & 4 & 1 & 0 & 4 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 3 \\ \addlinespace[3pt]
19 Lärm & 2 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 2 & 0 & 0 & 2 & 2 & 2 \\ \addlinespace[3pt]
20 Zeile13 & 0 & 1 & 0 & 0 & 1 & 0 & 3 & 0 & 0 & 0 & 2 & 0 & 1 & 3 & 0 & 2 \\ \addlinespace[3pt]
21 Zeile14 & 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 3 & 3 & 2 & 1 & 1 & 0 \\ \addlinespace[3pt]
22 Zeile15 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 4 & 0 & 0 & 3 & 1 & 1 \\ \addlinespace[3pt]
23 Zeile16 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 3 & 5 & 0 & 1 \\ \addlinespace[3pt] \
midrule
24 Artikel gesamt & 2 & 6 & 13 & 8 & 4 & 3 & 5 & 4 & 0 & 6 & 3 & 5 & 23 & 10 & 8 & 15 & 13 & 1 \\ \
25 \bottomrule
26 \end{tabular}}
27
28 \hvBlindtext
29
30 \hvFloat[doublePage,capPos=right,capVPos=top,floatCapSep=12pt,use0Box]%
31 {table}%
32 {}%
33 [A doublepage tabular with a caption on the right side of the right part.]%
34 {A caption for a double-sided tabular that will be placed on the right side of the
35 right-hand part of the illustration. The illustration begins on the left edge of
36 the paper. A short form is used for the LOF. The parameter is \texttt{doublePage}}%
37 {tab:doublePage3}

```

Tab. 10

Here comes some nonsense Text to show the output for a `\hvFloat` which appears exactly on top of a new even page. This should be detected by the command so that the tabular is placed directly on the following double page, starting with the even pagenumber.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983
Zeile 1	1	3	1	1	1	0	1	1	0	0	0	
Zeile 2	1	1	3	1	0	0	0	0	0	0	0	2
Zeile 3	2	1	2	1	0	0	0	0	0	0	0	0
Zeile 4	1	0	5	1	2	0	0	0	0	2	1	
Zeile 6	2	1	1	0	0	0	0	0	0	1	2	
Zeile 5	0	0	4	2	1	2	2	1	0	0	0	
Zeile 8	0	1	1	0	0	0	1	1	0	3	2	
Zeile 9	0	0	0	0	0	1	2	1	0	0	0	
Zeile10	0	1	3	0	1	0	1	0	0	1	1	
Zeile11	0	2	2	1	1	0	1	0	0	0	0	
Zeile12	2	0	2	4	1	0	4	0	0	0	0	
Lärm	2	3	0	0	0	0	0	0	0	0	0	1
Zeile13	0	1	0	0	1	0	3	0	0	0	0	
Zeile14	0	1	0	0	0	0	0	0	0	0	0	
Zeile15	0	0	0	0	0	0	0	0	0	1	0	
Zeile16	0	0	0	0	0	1	0	0	0	0	0	
Artikel gesamt	2	6	13	8	4	3	5	4	0	6	3	

words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If

33	1984	1985	1986	1987	1988	1989
0	20	0	2	2	2	1
1	3	4	4	6	4	2
1	5	3	1	7	7	3
0	1	0	3	7	2	1
0	5	2	2	5	4	2
1	1	0	2	5	4	3
1	2	1	3	5	3	4
0	4	2	1	4	5	2
0	1	1	1	4	4	1
2	6	1	0	2	1	1
0	0	0	0	1	0	3
0	2	0	0	2	2	2
0	2	0	1	3	0	2
0	3	3	2	1	1	0
0	4	0	0	3	1	1
0	0	0	3	5	0	1
5	23	10	8	15	13	1

Table 10: A caption for a double-sided tabular that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written

and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

23 References to the page

With the command `\pageref` one can have a reference to the page number of a caption. For the `fullpage` option this can be the wrong page if someone wants a reference to the page where the object is set. Let's assume that we use something like

```
\hvFloatSetDefaults
\hvFloat[fullpage,capPos=evenPage]{figure}%
  {\IncludeGraphics{images/frose}}%
  [A float which needs the complete paper width and height.]%
  [A Caption of a ``fullpage'' object, which follows on the next page.
  This can be an even or odd page. The object uses the complete paper dimensions]%
  {demo:fullpage}
```

The label `demo:fullpage` is used for the *image* and not for the caption! Internally another label called `demo:fullpage-cap` is set on the caption page which can be before or behind the object (depending to the optional argument of `capPos`). For example:

The caption of figure~\ref{demo:fullpage-cap} is on page~\pageref{demo:fullpage-cap}, but the image itself is on page~\pageref{demo:fullpage}.

The caption of figure 74 is on page 109, but the image itself is on page 110. With package `varioref` it is:

With the package `\pack{varioref}` ([\url{https://ctan.org/pkg/varioref}](https://ctan.org/pkg/varioref)) one can get something like: see figure~\vref{demo:fullpage}, which uses a ^correct page number of the floating object and not the caption page number which is~\vpageref{demo:fullpage-cap}. The figure~\ref{demo:fullpage} is on page~\pageref{demo:fullpage} and the caption on page~\pageref{demo:fullpage-cap}

With the package `varioref` (<https://ctan.org/pkg/varioref>) one can get something like: see figure 74 on page 110, which uses a correct page number of the floating object and not the caption page number which is on page 109. The figure 74 is on page 110 and the caption on page 109

24 Defining a style

With `\hvDefFloatStyle` one can define a special style to get rid of the individual setting:

```
\hvDefFloatStyle{name}{setting}
```

For example:

```
1 \hvDefFloatStyle{RightCaption}{floatPos=htb, capWidth=0.5, capPos=after,
2                               capVPos=bottom, objectPos=center}
3
4 \hvFloat[style=RightCaption]{figure}{\includegraphics{images/rose}}%
5   {Caption vertically centered right beside the float with a caption width of
6   \texttt{0.5\textbackslash columnwidth}.}{fig:style}
```




Figure 73: Caption at bottom right beside the float with a caption width of 0.5\columnwidth .

25 Global float setting

Instead of writing the following sequence into the preamble:

```
\makeatletter
\renewcommand\fps@figure{tb}
\renewcommand\fps@table{t}
\makeatother
```

you can change the global setting of floats by loading the package `hvfloating-fps`. It allows optional package options to set the global placement:

```
\usepackage[figure=tb,table=t]{hvfloating-fps}
```

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there

no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a

Figure 74: A Caption of a “fullpage” object, which follows on the next page. This can be an even or odd page. The object uses the complete paper dimensions



difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special

content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Index

A

\abovecaptionskip (skip), 7
\addtolength, 7
after (value), 8, 31, 33, 43, 67
afterpage (package), 7
\afterpage, 9
atbegshi (package), 7

B

before (value), 8, 13, 31, 42, 67
\belowcaptionskip (skip), 7
bottom (value), 8

C

capAngle (keyword), 8
capFormat (keyword), 18
capFormat (package option), 7
capFormat (keyword), 9
capHPos (keyword), 22
capPos (keyword), 8, 15f, 19, 21, 31, 33ff, 42f,
45–49, 67, 107
\caption, 9
caption (package), 9
\caption, 18
caption (package), 7, 18
\captionof, 29
\captionsetup, 18, 38, 40, 51
capVPos (keyword), 8
capWidth (keyword), 8, 12f, 22
center (value), 8
\clearpage, 45f
\columnwidth (length), 12
\columnwidth, 8

D

doubleFullPage (keyword), 9, 54, 92
doubleFULLPAGE (keyword), 9, 54
doublePage (keyword), 9, 54, 80
doublePAGE (keyword), 9, 54, 76

E

evenPage (value), 8, 31, 34, 45
expl3 (package), 7

F

false (value), 38, 51
fbox (package), 7
\fbox, 7

fbox (package option), 7
fboxLines (keyword), 9
\fboxsep (length), 9
fboxSep (keyword), 9
\figcaption, 7, 10
figure (environment), 9f, 27
float (package), 27
floatCapSep (keyword), 18
\floatCapSep (length), 18
floatCapSep (keyword), 8, 10
floatpag (package), 7
floatPos (keyword), 8, 23
forceLeft (keyword), 9
\frame, 10
fullpage (keyword), 9, 30f, 107
FullPage (keyword), 9, 30
FULLPAGE (keyword), 9, 30f, 36

G

graphicx (package), 7

H

h (value), 13
\hvDefFloatStyle, 8, 10, 107
\hvfloat, 49
hvfloat (package), 7, 30, 45f
\hvfloat, 36
hvfloat (package), 7
\hvFloat, 7f, 10, 18, 27f, 38, 40, 103
hvfloat-fps (package), 108
\hvFloat*, 23
hvFloatEnv (environment), 10, 29
\hvFloatSet, 7
\hvFloatSetDefaults, 7, 10
\hv0Box, 28, 103
hypcap (package option), 7
hyperref (package option), 7
hyperref (package), 7

I

ifoddpag (package), 7
\includegraphics, 36
\includgraphics, 30
inMargin (keyword), 9, 23
inner (value), 8, 15, 31, 35, 47, 49

K

Keyword

Index

- capHPos, 22
- capPos, 15f, 19, 21, 31, 33ff, 42f, 45–49
- capWidth, 12f, 22
- floatPos, 23
- objectPos, 19, 24
- singlelinecheck, 38, 51

L

- l (value), 22, 24
- left (value), 8, 13, 19, 31, 42
- \linewidth (length), 12
- \listoffigures, 7
- lscape (package), 23

M

- \marginnote, 23
- \marginparwidth (length), 9, 20
- multido (package), 7
- multiFloat (keyword), 31

N

- nonfloat (keyword), 28
- nonfloat (package), 27
- nonFloat (keyword), 7, 9, 27
- nonFloatTopSkip (keyword), 9
- nostfloats (package option), 7

O

- objectAngle (keyword), 8
- objectFrame (keyword), 9f
- objectPos (keyword), 8, 19, 24
- oddPage (value), 8, 31, 35, 46
- onecolumn, 35
- oneside, 31
- onlyText (keyword), 8, 28
- outer (value), 8, 15f, 21, 31, 35, 48

P

- p (value), 23
- \pageref, 107
- \paperheight (length), 36
- \paperwidth (length), 36, 92
- pdflscape (package), 23

R

- right (value), 8, 22, 43
- rotAngle (keyword), 8
- \rotatebox, 14

S

- sameHeight (keyword), 9
- separatorLine (keyword), 31

- \setlength, 7
- singlelinecheck (keyword), 38, 40, 51f
- stfloats (package), 7
- style (keyword), 9
- subcapFormat (package option), 7
- subcapFormat (keyword), 9, 18
- \subcaption, 18
- subcaption (package), 7, 40
- \subcaption, 9
- subcaption (package), 52
- \subcaptionsetup, 18
- subFloat (keyword), 31, 40, 52

T

- \tabcaption, 7, 10
- \tabcaptionbelow, 7
- table (environment), 9f, 27
- \textwidth (length), 9, 29
- top (value), 8
- twocolumn (package option), 31, 42
- twocolumn, 23, 31, 42
- twoside (package option), 34, 42
- twoside, 15

U

- use0Box (keyword), 8, 28

V

Value

- after, 33, 43
- before, 31, 42
- evenPage, 31, 34, 45
- false, 38, 51
- h, 13
- inner, 15, 31, 35, 47, 49
- l, 22, 24
- left, 19, 31, 42
- oddPage, 31, 35, 46
- outer, 15f, 21, 31, 35, 48
- p, 23
- right, 22, 43
- w, 12

- varioref (package), 107

\vfill, 9

vFill (keyword), 9

W

- w (value), 12
- wide (keyword), 9f, 20

X

- xkeyval (package), 7